## Diagnostic criteria for 313.89 Reactive Attachment Disorder of Infancy or Early Childhood

- A. Markedly disturbed and developmentally inappropriate social relatedness in most contexts, beginning before age 5 years, as evidenced by either (1) or (2):
- (1) persistent failure to initiate or respond in a developmentally appropriate fashion to most social interactions, as manifest by excessively inhibited, hypervigilant, or highly ambivalent and contradictory responses (e.g., the child may respond to caregivers with a mixture of approach, avoidance, and resistance to comforting, or may exhibit frozen watchfulness)
- (2) diffuse attachments as manifest by indiscriminate sociability with marked inability to exhibit appropriate selective attachments (e.g., excessive familiarity with relative strangers or lack of selectivity in choice of attachment figures)
- B. The disturbance in Criterion A is not accounted for solely by developmental delay (as in Mental Retardation) and does not meet criteria for a Pervasive Developmental Disorder.
- C. Pathogenic care as evidenced by at least one of the following:
- (1) persistent disregard of the child's basic emotional needs for comfort, stimulation, and affection
- (2) persistent disregard of the child's basic physical needs
- (3) repeated changes of primary caregiver that prevent formation of stable attachments (e.g., frequent changes in foster care)
- D. There is a presumption that the care in Criterion C is responsible for the disturbed behavior in Criterion A (e.g., the disturbances in Criterion A began following the pathogenic care in Criterion C).

Specify type:

- **Inhibited Type:** if Criterion A1 predominates in the clinical presentation
- Disinhibited Type: if Criterion A2 predominates in the clinical presentation